
	ITEM	QTY. -041	P/N	DESCRIPTION	DESCRIPTION	
	1	Х	D4802-041	FWD LEG ASSEMBLY		
	2	1	D4802-1	STRUT		
	3	1	D4869-1	END FITTING, EYE		
	4	1	D4920-1	END FITTING		
	5	4	HL32PB5-8	HI-LOK PIN		
_ [	6	4	HI 86-5	HELOK COLLAR		



## <u>D4802-041 FWD LEG ASSEMBLY</u> (EQUIVALENT TO BELL P/N 407-064-106-101)



14.06.24 14.04.08

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY PER QSI 044 6.8

7) WEIGHT: 0.46 lbs
8) ALIGN PILOT HOLES IN D4802-1 WITH PILOT HOLES IN D4869-1 & D4920-1.
DRILL OUT EACH HOLE USING A P/N 13-SB65 (0.125) PILOTED DRILL.


REAM EACH HOLE USING P/N 31-219 ( $\phi$  0.1610) REAMER, USING DART TOOL SETUP DT9953 9) INSTALL PIN/COLLAR AND END FITTING WITH HYSOL EA934NA OR MAGNOBOND 6398 ADHESIVE WHILE STILL WET


10) ASSEMBLE PER DART TOOL DT9953
11) INSTALL HL32PB5-8 HI-LOK IN ORIENTATION SHOWN


	В	REVISE NOTE 6), 7) & 9) (ZN A8-1); ADDED BELL P/N RF			RF	14.04.08
	Α	NEW IS:	SUE		RF	13.09.16
	REV.			DESCRIPTION	BY	DATE
	DESIGN		RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		TD
Ω	DRAWN		RF			
OVE	CHECKED		VS	D4802		REV. C
Ó	MFG. APPR.		JLM			SHEET 1 OF 3
PR	APPRO	VED	HS	TITLE		SCALE
APF	DE APP	R.	DS<	FWD LEG ASSEMBLY	•	NTS
⋖	DATE 14.06.24			COPYRIGHT © 2013 BY DART AEROSPACE LTD  THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS  NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT  WRITTEN PERMISSION FROM DART AEROSPACE LTD.		


HL32PB5-8 WAS HL20PB5-8 (ZN D4-1); REVISE NOTE 6) (ZN A8-3)

3










SECTION A-A C6-2 2 PL

SECTION B-B C6-2 2 PL


D4802-041 FWD LEG ASSEMBLY AUXILIARY VIEW



	ROSPACE LTD	
<b>~  </b>	HAWKESBURY, ONTARIO, CANADA	
CHECKED VS DRAWING NO.	REV. C	
MFG. APPR. JLM D4802	SHEET 2 OF 3	
APPROVED HS 1 TITLE	SCALE	
DE APPR. DSO FWD LEG ASSI	EMBLY NTS	
14.06.24 THIS DOCUMENT IS PRIVATE AND CONFIDENTI. NOT TO BE USED FOR ANY PURPOSE OR COF	13 BY DART AEROSPACE LTD  "ALL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS  PIPED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT  SION FROM DART AEROSPACE LTD.	



## SECTION C-C C3-3



## **D4802-1 STRUT**

D.

NOTES: 1) MATERIAL: 17-4 PH/S17400/TYPE 630 SS ROUND BAR, H900 CONDITION PER AMS 5643/ASTM A564 DART SPEC M17-4-R

DART SPEC M17-4-R

2) FINISH: N/A

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX

6) IDENTIFICATION: IDENTIFY PER QSI 044 6.6

7) WEIGHT: 0.15 lbs

8) LIQUID PENETRANT INSPECT PER QSI 038 6.1.1 (ASTM E1417 LEVEL 2)

	DESIGN	RF	
Ω	DRAWN RF		
Ä	CHECKED	VS	D
ROVE	MFG. APPR.	JLM	E
፟፟፟፟	APPROVED	HS	Т
APPI	DE APPR.	D9	F
⋖	DATE 14.0	6.24	

RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA				
RF					
VS	DRAWING NO.	REV. (			
JLM	D4802	SHEET 3 OF			
HS ,	TITLE	SCAL			
D9=#	FWD LEG ASSEMBLY	NT			
4	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PRESON WITHOUT				

8

5

2